American Journal of Physiology: Renal Physiology

No. 1. JANUARY 1999

INVITED REVIEW

Gene transfer in the kidney
V. R. Kelley and V. P. Sukhatme F1

Guanine nucleotide binding proteins in cultured renal epithelia: studies with pertussis toxin and aldosterone
S. Sariban-Sohraby, M. Svoboda, and F. Mies F10

Adaptation of NHE-3 in the rat thick ascending limb: effects of high sodium intake and metabolic alkalosis
K. Laghmani, R. Chambrey, M. Froissart, M. Bichara, M. Paillard, and P. Borensztein F18

Immunolocalization of the electrogenic Na^+-HCO_3^- cotransporter in mammalian and amphibian kidney
B. M. Schmitt, D. Biemesderfer, M. F. Romero, E. L. Boulpaep, and W. F. Boron F27

Effect of AT_2 receptor blockade on the pathogenesis of renal fibrosis
J. J. Morrissey and S. Klahr F39

Type II Na-P_i cotransport is regulated transcriptionally by ambient bicarbonate/carbon dioxide tension in OK cells
A. W. Jehle, H. Hilfiker, M. F. Pfister, J. Biber, E. Lederer, R. Krapf, and H. Murer F46

Renal type I inositol 1,4,5-trisphosphate receptor is reduced in streptozotocin-induced diabetic rats and mice
K. Sharma, L. Wang, Y. Zhu, A. DeGuzman, G.-Y. Cao, R. B. Lynn, and S. K. Joseph F54

Urea transport processes are induced in rat IMCD subsegments when urine concentrating ability is reduced
A. Kato and J. M. Sands F62

Epidermal growth factor inhibits Na-P_i cotransport in weaned and suckling rats
M. Arar, H. K. Zajicek, I. Elshihabi, and M. Levi F72

Suppressed impact of nitric oxide on renal arteriolar function in rats with chronic heart failure
H. Ikenaga, N. Ishii, S. P. Didion, K. Zhang, K. G. Cornish, K. P. Patel, W. G. Mayhan, and P. K. Carmines F79

Cloning and characterization of a naturally occurring soluble form of TGF-β type I receptor
M. E. Choi F88

Vasopressin increases Na-K-2Cl cotransporter expression in thick ascending limb of Henle's loop
G.-H. Kim, C. A. Ecelbarger, C. Mitchell, R. K. Packer, J. B. Wade, and M. A. Knepper F96

Regulation of cAMP-dependent chloride channels in DC1 immortalized rabbit distal tubule cells in culture
I. Rubera, M. Tauc, C. Verheecke-Mauze, M. Bidet, C. Poujeol, N. Touret, B. Cuiller, and P. Poujeol F104

Molecular cloning and functional expression of a multispecific organic anion transporter from human kidney
M. Hosoyamada, T. Sekine, Y. Kanai, and H. Endou F122

Obstruction stimulates COX-2 expression in bladder smooth muscle cells via increased mechanical stretch
J. M. Park,, T. Yang, L. J. Arend, J. B. Schnermann, C. A. Peters, M. R. Freeman, and J. P. Briggs F129

Hypotonic saline infusion alters the renal response to amino acids in men
A. Claris-Appiani, A. S. Tirelli, G. Ardissino, V. Daccò, E. Moretto, C. Corbetta, L. Guidi, and B. M. Assael F137

Basolateral Na^+ pump modulates apical Na^+ and K^+ conductances in rabbit cortical collecting ducts
S. Muto, Y. Asano, D. Seldin, and G. Giebisch F143

Endogenous nitric oxide inhibits chloride transport in the thick ascending limb
C. F. Plato, B. A. Stoos, D. Wang, and J. L. Garvin F159

Effect of experimentally induced hypothyroidism on sulfate renal transport in rats
K. Sagawa, H. Murer, and M. E. Morris F164

SPECIAL COMMUNICATION

A simple, nonradioactive method for evaluating single-nephron filtration rate using FITC-inulin
J. N. Lorenz and E. Gruenstein F172

No. 2. FEBRUARY 1999

Low aquaporin-2 levels in polyuric DI +/+ severe mice with constitutively high cAMP-phosphodiesterase activity
J. Frøkiaer, D. Marples, H. Valtin, J. F. Morris, M. A. Knepper, and S. Nielsen F179

Lysophosphatidic acid-induced calcium mobilization and proliferation in kidney proximal tubular cells
R. J. Dixon, K. Young, and N. J. Brunskill F191

VACM-1 receptor is specifically expressed in rabbit vascular endothelium and renal collecting tubule
M. Burnatowska-Hledin, I. B. Lazdins, L. Listenberger, P. Zhao, A. Sharangpani, V. Folta, and B. Card F199

Nuclear localization of β-catenin and loss of apical brush border actin in cystic tubules of bcl-2 −/− mice
C. M. Sorenson F210

Rat proximal tubule cell line transformed with origin-defective SV40 DNA: autocrine ANG II feedback
J. R. Ingelfinger, F. Jung, D. Diamant, L. Haveran, E. Lee, A. Brem, and S.-S. Tang F218

Differential effects of EGF on repair of cellular functions after dichlorovinyl-L-cysteine-induced injury
G. Nowak, K. B. Keasler, D. E. McKeller, and R. G. Schnellmann F228

H-K-ATPase in the RCCT-28A rabbit cortical collecting duct cell line
W. G. Campbell, I. D. Weiner, C. S. Wingo, and B. D. Cain F237

Contribution of cytochrome *P*-450 4A1 and 4A2 to vascular 20-hydroxyeicosatetraenoic acid synthesis in rat kidneys
M.-H. Wang, H. Guan, X. Nguyen, B. A. Zand, A. Nasjletti, and M. Laniado-Schwartzman F246

Arginine vasopressin stimulates phosphorylation of aquaporin -2 in rat renal tissue
G. Nishimoto, M. Zelenina, D. Li, M. Yasui, A. Aperia, S. Nielsen, and A. C. Nairn F254

Exaggerated Ca^{2+} signaling in preglomerular arteriolar smooth muscle cells of genetically hypertensive rats
B. M. Iversen and W. J. Arendshorst F260

Kinin influences on renal regional blood flow responses to angiotensin-converting enzyme inhibition in dogs
S. A. Omoro, D. S. A. Majid, S. S. El-Dahr, and L. G. Navar F271

ROS stimulate reorganization of mesangial cell-collagen gels by tyrosine kinase signaling
R. Zent, M. Ailenberg, G. P. Downey, and M. Silverman F278

Renal sulfate secretion is carbonic anhydrase dependent in a marine teleost, *Pleuronectes americanus*
J. L. Renfro, T. H. Maren, C. Zeien, and E. R. Swenson F288

Cloning of the human kidney PAH transporter: narrow substrate specificity and regulation by protein kinase C
R. Lu, B. S. Chan, and V. L. Schuster F295

Developmental expression of the epithelial Na^+ channel in kidney and uroepithelia
S. Watanabe, K. Matsushita, P. B. McCray, Jr., and J. B. Stokes F304

Enhanced renal vascular responsiveness to angiotensin II in hypertensive *ren*-2 transgenic rats
S. M. Jacinto, J. J. Mullins, and K. D. Mitchell F315

A nucleoside-sensitive organic cation transporter in opossum kidney cells
R. Chen, B. F. Pan, M. Sakurai, and J. A. Nelson F323

ANNOUNCEMENTS F329

No. 3. MARCH 1999

INVITED REVIEW

Long-term regulation of aquaporins in the kidney
D. Marples, J. Frøkiaer, and S. Nielsen F331

Adenosine-induced renal vasoconstriction in diabetes mellitus rats: role of nitric oxide
A. C. Pflueger, H. Osswald, and F. G. Knox F340

Isoforms of the Na-K-2Cl cotransporter in murine TAL I. Molecular characterization and intrarenal localization
D. B. Mount, A. Baekgaard, A. E. Hall, C. Plata, J. Xu, D. R. Beier, G. Gamba, and S. C. Hebert F347

Isoforms of the Na-K-2Cl cotransporter in murine TAL II. Functional characterization and activation by cAMP
C. Plata, D. B. Mount, V. Rubio, S. C. Hebert, and G. Gamba F359

Developmental expression of sodium entry pathways in rat nephron
R. Schmitt, D. H. Ellison, N. Farman, B. C. Rossier, R. F. Reilly, W. B. Reeves, I. Oberbäumer, R. Tapp, and S. Bachmann F367

Expression of bone morphogenetic protein-7 mRNA in normal and ischemic adult rat kidney
M. Simon, J. G. Maresh, S. E. Harris, J. D. Hernandez, M. Arar, M. S. Olson, and H. E. Abboud F382

Tumor necrosis factor-α and ceramide induce cell death through different mechanisms in rat mesangial cells
Y.-L. Guo, B. Kang, L.-J. Yang, and J. R. Williamson F390

A novel p64-related Cl^- channel: subcellular distribution and nephron segment-specific expression
J. C. Edwards F398

Resetting of exaggerated tubuloglomerular feedback activity in acutely volume-expanded young SHR
K. Brännström and W. J. Arendshorst F409

Contribution of endothelin to renal vascular tone and autoregulation in the conscious dog
H. Berthold, K. Münter, A. Just, H. R. Kirchheim, and H. Ehmke F417

Renal and hemodynamic effects of losartan in conscious dogs during controlled mechanical ventilation
M. O. Krebs, T. Kröhn, W. Boemke, R. Mohnhaupt, and G. Kaczmarczyk F425

AVP inhibits LPS- and IL-1β-stimulated NO and cGMP via V_1 receptor in cultured rat mesangial cells
T. Umino, E. Kusano, S. Muto, T. Akimoto, S. Yanagiba, S. Ono, M. Amemiya, Y. Ando, S. Homma, U. Ikeda, K. Shimada, and Y. Asano F433

Tonic and phasic influences of nitric oxide on renal blood flow autoregulation in conscious dogs
A. Just, H. Ehmke, U. Wittmann, and H. R. Kirchheim F442

ATP-mediated Ca^{2+} signaling in preglomerular smooth muscle cells
E. W. Inscho, A. C. Schroeder, P. C. Deichmann, and J. D. Imig F450

ACE inhibition and ANG II receptor blockade improve glomerular size-selectivity in IgA nephropathy
A. Remuzzi, N. Perico, F. Sangalli, G. Vendramin, M. Moriggi, P. Ruggenenti, and G. Remuzzi F457

In vitro effects of simvastatin on tubulointerstitial cells in a human model of cyclosporin nephrotoxicity
D. W. Johnson, H. J. Saunders, M. J. Field, and C. A. Pollock F467

Potassium supplement upregulates the expression of renal kallikrein and bradykinin B_2 receptor in SHR
L. Jin, L. Chao, and J. Chao F476

No. 4. APRIL 1999

INVITED REVIEW

Molecular regulation of nephron endowment
A. T. Clark and J. F. Bertram F485

Developmental expression of aquaporin 1 in the rat renal vasculature
J. Kim, W.-Y. Kim, K.-H. Han, M. A. Knepper, S. Nielsen, and K. M. Madsen F498

Postnatal development of carbonic anhydrase IV expression in rabbit kidney
G. J. Schwartz, J. Olson, A. M. Kittelberger, T. Matsumoto, A. Waheed, and W. S. Sly F510

Partial characterization of apoptotic factor in Alzheimer plasma
J. K. Maesaka, T. Palaia, S. A. Chowdhury, T. Shimamura, S. Fishbane, W. Reichman, A. Coyne, J. J. O'Rear, and M. E. El-Sabban F521

Agonist-induced translocation of $G_{q/11}\alpha$ immunoreactivity directly from plasma membrane in MDCK cells
J. M. Arthur, G. P. Collinsworth, T. W. Gettys, and J. R. Raymond F528

Modulation of renal tubular cell function by RGS3
W. Grüning, T. Arnould, F. Jochimsen, L. Sellin, S. Ananth, E. Kim, and G. Walz F535

Ischemia activates actin depolymerizing factor: role in proximal tubule microvillar actin alterations
N. Schwartz, M. Hosford, R. M. Sandoval, M. C. Wagner, S. J. Atkinson, J. Bamburg, and B. A. Molitoris F544

Localization of rat CLC-K2 chloride channel mRNA in the kidney
M. Yoshikawa, S. Uchida, A. Yamauchi, A. Miyai, Y. Tanaka, S. Sasaki, and F. Marumo F552

Vasopressin regulates apical targeting of aquaporin-2 but not of UT1 urea transporter in renal collecting duct
T. Inoue, J. Terris, C. A. Ecelbarger, C.-L. Chou, S. Nielsen, and M. A. Knepper F559

Renal arteriolar Na^+/Ca^{2+} exchange in salt-sensitive hypertension
L. D. Nelson, M. T. Unlap, J. L. Lewis, and P. D. Bell F567

Altered protein kinase C activation of Na^+/Ca^{2+} exchange in mesangial cells from salt-sensitive rats
N. A. Mashburn, M. T. Unlap, J. Runquist, A. Alderman, G. V. W. Johnson, and P. D. Bell F574

Expression of c-ret promotes morphogenesis and cell survival in mIMCD-3 cells
D. A. O'Rourke, H. Sakurai, K. Spokes, C. Kjelsberg, M. Takahashi, S. Nigam, and L. Cantley F581

Bradykinin inhibits ceramide production and activates phospholipase D in rabbit cortical collecting duct cells
G. Liu, L. Kleine, R. Nasrallah, and R. L. Hébert F589

CCAAT/enhancer binding protein-β *trans*-activates murine nitric oxide synthase 2 gene in an MTAL cell line
A. K. Gupta and B. C. Kone F599

Apical proton secretion by the inner stripe of the outer medullary collecting duct
I. D. Weiner, A. E. Frank, and C. S. Wingo F606

Nitric oxide inhibits transcription of the Na^+-K^+-ATPase α1-subunit gene in an MTAL cell line
B. C. Kone and S. Higham F614

Type II cAMP-dependent protein kinase regulates electrogenic ion transport in rabbit collecting duct
Z. Qi, C.-M. Hao, K. Salter, R. Redha, and M. D. Breyer F622

Endothelin mediates renal vascular memory of a transient rise in perfusion pressure due to NOS inhibition
X.-Z. Zhang and C. Baylis F629

Transport characteristics of the apical anion exchanger of rabbit cortical collecting duct β-cells
C. Emmons F635

RAPID COMMUNICATION

Stoichiometry and Na^+ binding cooperativity of rat and flounder renal type II Na^+-P_i cotransporters
I. C. Forster, D. D. F. Loo, and S. Eskandari F644

No. 5. MAY 1999

BRIEF REVIEW

The Cre/loxP system and gene targeting in the kidney
P. K. Stricklett, R. D. Nelson, and D. E. Kohan F651

Localization of PEPT1 and PEPT2 proton-coupled oligopeptide transporter mRNA and protein in rat kidney
H. Shen, D. E. Smith, T. Yang, Y. G. Huang, J. B. Schnermann, and F. C. Brosius III F658

Expression of the polymeric immunoglobulin receptor and excretion of secretory IgA in the postischemic kidney
J. C. Rice, J. S. Spence, J. Megyesi, R. M. Goldblum, and R. L. Safirstein F666

A role for T-type Ca^{2+} channels in the synergistic control of aldosterone production by ANG II and K^+
X.-L. Chen, D. A. Bayliss, R. J. Fern, and P. Q. Barrett F674

Glycated albumin stimulation of PKC-β activity is linked to increased collagen IV in mesangial cells
M. P. Cohen, F. N. Ziyadeh, G. T. Lautenslager, J. A. Cohen, and C. W. Shearman F684

Regulation of angiotensin II receptors and PKC isoforms by glucose in rat mesangial cells
F. Amiri and R. Garcia F691

Calcium recruitment in renal vasculature: NE effects on blood flow and cytosolic calcium concentration
M. Salomonsson and W. J. Arendshorst F700

In vivo PTH provokes apical NHE3 and NaPi2 redistribution and Na-K-ATPase inhibition
Y. Zhang, J. M. Norian, C. E. Magyar, N.-H. Holstein-Rathlou, A. K. Mircheff, and A. A. McDonough F711

cAMP-dependent and -independent downregulation of type II Na-P_i cotransporters by PTH
M. F. Pfister, J. Forgo, U. Ziegler, J. Biber, and H. Murer F720

Angiotensin II inhibits HCO_3^- absorption via a cytochrome *P*-450-dependent pathway in MTAL
D. W. Good, T. George, and D. H. Wang F726

Role of tyrosine phosphorylation in the reassembly of occludin and other tight junction proteins
T. Tsukamoto and S. K. Nigam F737

Tubuloglomerular feedback in ACE-deficient mice
T. Traynor, T. Yang, Y. G. Huang, J. H. Krege, J. P. Briggs, O. Smithies, and J. Schnermann F751

Thromboxane A_2 contributes to the enhanced tubuloglomerular feedback activity in young SHR
K. Brännström and W. J. Arendshorst F758

Endothelin mediates renal vasodilation and hyperfiltration during pregnancy in chronically instrumented conscious rats
K. P. Conrad, R. E. Gandley, T. Ogawa, S. Nakanishi, and L. A. Danielson F767

SPECIAL COMMUNICATION

Enrichment of transiently transfected mesangial cells by cell sorting after cotransfection with GFP
R. Chen, E. L. Greene, G. Collinsworth, J. S. Grewal, O. Houghton, H. Zeng, M. Garnovskaya, R. V. Paul, and J. R. Raymond F777

RAPID COMMUNICATIONS

Urea-associated oxidative stress and Gadd153/CHOP induction
Z. Zhang, X.-Y. Yang, and D. M. Cohen F786

Nitric oxide production is low in end-stage renal disease patients on peritoneal dialysis
R. J. Schmidt, S. Yokota, T. S. Tracy, M. I. Sorkin, and C. Baylis F794

No. 6. JUNE 1999

INVITED REVIEWS

H^+-K^+-ATPases: regulation and role in pathophysiological states
R. B. Silver and M. Soleimani F799

The nongastric H^+-K^+-ATPases: molecular and functional properties
F. Jaisser and A. T. Beggah F812

Developmental expression of ROMK in rat kidney
A. Zolotnitskaya and L. M. Satlin F825

Partial ATP depletion induces Fas- and caspase-mediated apoptosis in MDCK cells
L. R. Feldenberg, S. Thevananther, M. Del Rio, M. De Leon, and P. Devarajan F837

Pathways for HCO_3^- exit across the basolateral membrane in rat thick limbs
F. Leviel, D. Eladari, A. Blanchard, J.-S. Poumarat, M. Paillard, and R.-A. Podevin F847

D-Serine is reabsorbed in rat renal *pars recta*
S. Silbernagl, K. Völker, and W. H. Dantzler F857

Localization of an organic anion transporter-GFP fusion construct (rROAT1-GFP) in intact proximal tubules
D. H. Sweet, D. S. Miller, and J. B. Pritchard F864

Quantification of nitric oxide synthase activity in microdissected segments of the rat kidney
F. Wu, F. Park, A. W. Cowley, Jr., and D. L. Mattson F874

Structure and activity of OK-GC: a kidney receptor guanylate cyclase activated by guanylin peptides
R. M. London, S. L. Eber, S. S. Visweswariah, W. J. Krause, and L. R. Forte F882

Ultrastructural model for size selectivity in glomerular filtration
A. Edwards, B. S. Daniels, and W. M. Deen F892

Characterization of Na^+/HCO_3^- cotransporter isoform NBC-3
H. Amlal, C. E. Burnham, and M. Soleimani F903

HCO_3^- reabsorption in renal collecting duct of NHE-3-deficient mouse: a compensatory response
S. Nakamura, H. Amlal, P. J. Schultheis, J. H. Galla, G. E. Shull, and M. Soleimani F914

Serotonin 5-HT_{2A} receptor induces TGF-β1 expression in mesangial cells via ERK: proliferative and fibrotic signals
J. S. Grewal, Y. V. Mukhin, M. N. Garnovskaya, J. R. Raymond, and E. L. Greene F922

A numerical model of the renal distal tubule
H. Chang and T. Fujita F931

SPECIAL COMMUNICATION

A kinetic model of the thiazide-sensitive Na-Cl cotransporter
H. Chang and T. Fujita F952